









13. Shankland WE. Nociceptive trigeminal inhibition–tension suppression system: a method of preventing migraine and tension headaches. *Compend Contin Educ Dent* 2001 Dec;22(12):1075–1080, 1082; quiz 1084.
14. Bumann A, Lotzmann U. *Color atlas of dental medicine: tmj disorders and orofacial pain, the role of dentistry in a multidisciplinary diagnostic approach*. 1st ed. New York: Thieme, 2002; p. 53.
15. Magnusson T, Adiels A-M, et al. Treatment effect on signs and symptoms of temporomandibular disorders–comparison between stabilisation splint and a new type of splint (NTI). A pilot study. *Swed Dent J* 2004;28(1):11–20.
16. Abou-Atme YS, Chedid N, et al. Clinical measurement of normal maximum mouth opening in children. *Cranio* 2008 Jul;26(3):191–196. DOI: 10.1179/crn.2008.025.
17. Koc D, Dogan A, et al. Effects of increasing the jaw opening on the maximum bite force and electromyographic activities of jaw muscles. *J Dent Sci* 2012 Mar;7(1):14–19.
18. Lodetti G, Marano G, et al. Surface electromyography and magnetic resonance imaging of the masticatory muscles in patients with arthrogenous temporomandibular disorders. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2014 Aug;118(2):248–256. DOI: 10.1016/j.oooo.2014.05.005.
19. Hickman DM, Cramer R, et al. The effect of four jaw relations on electromyographic activity in human masticatory muscles. *Arch Oral Biol* 1993 Mar;38(3):261–264.
20. Forssell H, Kalso E. Application of principles of evidence-based medicine to occlusal treatment for temporomandibular disorders: are there lessons to be learned? *J Orofac Pain* 2004 Winter;18(1):9–22.
21. Okeson JP. The effects of hard and soft occlusal splints on nocturnal bruxism. *J Am Dent Assoc* 1987 Jun;114(6):788–791.
22. Aksakalli S, Temucin F, et al. Effectiveness of two different splints to treat temporomandibular disorders. *J Orofac Orthop* 2015 Jul;76(4):318–327. DOI: 10.1007/s00056-015-0294-4.
23. Baad-Hansen L, Jadidi F, et al. Effect of a nociceptive trigeminal inhibitory splint on electromyographic activity in jaw closing muscles during sleep. *J Oral Rehabil* 2007 Feb;34(2):105–111. DOI: 10.1111/j.1365-2842.2006.01717.x.
24. Becker I, Tarantola G, et al. Effect of a prefabricated anterior bite stop on electromyographic activity of masticatory muscles. *J Prosthet Dent* 1999;82(1):22–26.
25. Conti PCR, Corrêa AS, et al. Management of painful temporomandibular joint clicking with different intraoral devices and counseling: a controlled study. *J Appl Oral Sci* 2015;23(5):529–535. DOI: 10.1590/1678-775720140438.